

Request.Meta Keys

The Request.meta attributes contain the arbitrary data, however, there are special keys that are recognised by Scrappy and its built-in extensions. These keys are

- dont_redirect
- dont_retry
- dont_httpstatus_list
- dont_merge_cookies
- dont_cache
- cokiejar
- redirect_reasons
- redirect_urls
- bindaddress
- dont_obey_robotstxt
- proxy

Types of response metrics

Response metrics vary from system to system or tool to tool because of the calculating methods that are gathered by each of them. The response metric tools can also stimulate the system load along with capturing the speed that can create a huge difference in the overall response time. Some of its types are mentioned below:

- **Average Response Time-** The average response time for an object is the average time that is consumed by every round trip request for the same response. It is inclusive of the loading time of XML, HTML, CSS, JavaScript files, images, and many more. Thus, the average response time is affected by the slow response components that are present in the current system.
- **Peak Response Time-** The peak response time helps users to search for the potentially troublesome or problematic components of the response. It also helps users to navigate to the irregularities that are present in the system or the website where a particular request is not managed accurately. For instance, there can be huge database queries that are executed that can severely affect the response time. Hence, this query must not allow the page to load at the expected time.
- **Error Rate-** The error rate refers to a mathematical calculation that highlights or displays the share of problem requests in contrast to the other requests. The Share of problem display counts the HTTP