

1. `setUpTestData()`: It is a pre-test configuration code to set up different classes. The main objective of executing the `setUpTestData()` is to set up immutable objects that will not change during the test run.
2. `setUp()`: It is an executable code used for creating the mutable objects that can be changed. The prime benefit of this setup is that every time the test run is done, there is a new version of items.

The test classes have a `tearDown()` method as Django takes care of the database through the `TestCase` base.

The `assert()` function is mainly for setting the parameters. So, standard errors will be represented with `False` through a string parameter when you execute the assert functions. It then sets a variable called `_assert_exit` and executes the end statement.

The main reason for executing an END rule is to keep other END rules from running simultaneously. So, if an assertion fails, the exit statement immediately makes the program end. If the assertion does not fail, and the end result is still `False`, END rule execution helps with the program exit.

Now, let's get to know how we can run the tests!

How to run the tests

Running the tests is quite simple; you just need to execute this code:

- `python3 manage.py test`

As you execute the code, all the files are discovered with a name `test*.py` in the test directory. Next, all the tests are defined through the base classes. For this example, `/catalog/tests/test_models.py` contains all the “test” files. These tests report any failures instantly without any glitch, along with a detailed summary.

You can run the test in your root directory of the project.

- `> python3 manage.py test`
- Creating test database for alias 'default'...
- `setUpTestData`: Run once to set up non-modified data for all class methods.
- `setUp`: Run once for every test method to setup clean data.
- Method: `test_false_is_false`.