

keymap, you are also given the option to try the keymap through the Keymap Testing Menu.

Once you have selected an appropriate keymap, you need to decide on a hostname for the machine. The hostname must be unique and fully qualified.

Here is a list of optional system components that you may want to install. Do keep in mind the application you wish to use FreeBSD and the amount of space you have on the disk. The optional files you can typically install are as follows:

- `base-dbg`: Base tools in which debug symbols have been activated.
- `kernel-dbg`: Kernel in which debug symbols have been activated.
- `lib32-dbg`: Compatibility libraries if you have a 64-bit version of FreeBSD and wish to run 32-bit applications on it with debug symbols activated.
- `lib32-dbg`: Compatibility libraries if you have a 64-bit version of FreeBSD and wish to run 32-bit applications on it.
- `ports`: The Ports Collection of FreeBSD
- `src`: Source code of FreeBSD
- `tests`: Test Suite of FreeBSD

If you are installing from a `-bootonly.iso` or `-mini-memstick.img` file, you will need to install from a network since these files do not contain installation instructions. In the next few steps, you will need to configure your network.

Allocation of disk space

You can either allocate disk space or use a whole disk to install FreeBSD. FreeBSD offers four different ways in which your disk can be partitioned. The following are the steps involved in each of those methods.

- **Auto (UFS)**: This is a method of guided partitioning. Select among the options the disk that you wish to install FreeBSD on to. Now, choose whether you want to use the entire disk or partition of the disk. Next, choose the partition scheme of your choice, of which GPT is highly recommended. Next, review the partitions and confirm.
- **Manual**: In this method, choose the disk that you want to partition and select Create. Now, choose the partitioning scheme (GPT) and manually choose the partition type and the partition size. Among partition types,