

that can be used to build FreeBSD packages is known as Poudriere. Poudriere can be used to set up isolated environments in FreeBSD, which can be used for the testing of packages without impacting the rest of the system. Packages in one system can be built for other types of systems as well. Once these packages have been created, they can be utilised by any package management tool for FreeBSD.

To create a new package, you first need to install what is known as a jail in FreeBSD. A jail is an isolated environment. The jail is generally installed with a FreeBSD tree as well as a ports tree and states the type of system for which the package is being designed.

After a package has been built, you also need to set up dependencies and configure the package to be run with various package management programs.

Builds

Show 50 entries

Build	Queued	Built	Failed	Skipped
2020-02-02 20h44m16s	316	275	1	0
2020-02-05 23h50m05s	41	41	0	0
2020-06-15 06h17m17s	240	239	1	0
2020-06-16 21h11m27s	1	0	1	0
2020-06-29 03h13m30s	324	286	0	0

Showing 1 to 5 of 5 entries

Copyright Attribution: FreeBSD

Poudriere Builds

After installation

There are quite a few post-installation considerations in FreeBSD, regardless of whether you installed an application through a port or a package. Most applications will need to be configured and set up after being installed.

Most programs that you install will also install with them a set of sample configuration files. These files will typically have the extension `.sample`. Most of these configuration files need to be reviewed for each software since using the default configuration of software can result in the software taking up more or fewer resources from your system than required and not performing as per requirement. You can copy these sample configuration files and edit them.

Most applications also install documentation and manual pages, which must be gone through in case you face issues with configuration. To know more about the program you have installed, you can run the `pkg info` command.