

can compile templates with the full build feature. Thus, it becomes of no use in these environments.

Contrarily, the build for runtime-only complies with the rules for CSP. The templates will already be bundled into render functions when you are using Browserify + vueify or Webpack + vue-loader with the runtime-only build. It gels well with the CSP environments.

Dev Build

Github allows the checking of /dist folder only at the time of releases. You will have to build the source code if you wish to use Vue on Github.

- `git clone https://github.com/vuejs/vue.git node_modules/vue`
- `cd node_modules/vue`
- `npm install`
- `npm run build`

Bower

Bower offers only UMD builds.

- `# latest stable`
- `$ bower install vue`

AMD Module Loaders

You can directly use each UMD build as an AMD module.

Conclusion

After installing the packages, it is recommended to check for project dependencies and upgradation inside the project directory. The core library depends much on the view layer only. Thus, it is able to adopt and integrate it with existing projects and other libraries. Contrarily, it works best with decent Single-Page Applications. All you have to do is build a strong combination of supporting libraries and modern tooling.

The framework size of Vue.js is approximately 18 to 21 kB. Thus, you can set it up in no time. It works seamlessly for applications that can be run from web browsers. In addition, if you need a fast performing application, you can rewrite it in Vue to bring its best progressive nature to its advantage. The codebase can be introduced gradually. So, you do not have to worry about managing it all at once. Component by component works really well for Vue.js. 