

Vue.js is one of the most predominantly used frameworks in recent times. It is used to build single-page applications and user interfaces. Its reactivity and simplicity are extremely impressive. It collates the best features of two JavaScript frameworks, React and Angular. As it offers a neutral environment, most of the developers like to use Vue.js.

With the Electron framework, Vue.js is also used for both mobile and desktop app development. The JS base and HTML extension played in favor of this front-end tool, resulting in giants such as Xiaomi, Gitlab, Alibaba, Behance, and Adobe adopting it.

Based on HTML-based template syntax, Vue.js enables the developer to compile the rendered DOM to the instance's data that is underlying the Vue. Each Vue.js is valid HTML that can be parsed by HTML parsers and spec-compliant browsers.

Technically, Vue binds the Virtual DOM to render functions with the templates. That means the templates of Vue.js are essentially enhanced with parsable HTML and are valid with a few special attributes. During the combination with the reactivity system, Vue can identify the least number of components to re-render and use the fewest number of DOM manipulations after the state of the app changes.

Comparison

Let us quickly look at Vue's template when compared to a JavaScript DOM manipulation that does not include Vue. In the following example, we are using a provided div to insert text.

- `// jQuery`
- `const divElement = $('#text');`
- `divElement.text('Hello Vue')`

It is not simple with JavaScript.

- `// JavaScript`
- `const divElement = document.getElementById('text');`
- `const textNode = document.createTextNode('Hello Vue');`
- `divElement.appendChild(textNode);`

However, with Vue, it is very much declarative and simple.

- `new Vue({`
- `template: '<div>{{text}}</div>',`