

- `v-bind:class="{ active: isActive, 'text-danger': hasError }"`
- `></div>`

Binding multiple class

Binding multiple class vuejs

- `v-bind:class="{ active: isActive, 'text-danger': hasError }"`
- `// or`
- `:class="{ active: isA`
- `v-bind:class="{ active: isActive, 'text-danger': hasError }"`
- `// or`
- `:class="{ active: isActive, 'text-danger': hasError }"`

Bind class

- `<div v-bind:class="{ active: isActive }"></div>`

Dynamically style HTML by binding data to an element's style attribute

Use variant colours to style the background-colour of divs. The variant colours are “green” and “blue”, we want a div with a green background-colour and a div with a blue background-colour.

```

1 <div id="app">
2   <div class="product">
3     <div class="product-image">
4       
5     </div>
6
7     <div class="product-info">
8       <h1>{{ product }}</h1>
9       <p v-if="inStock">In Stock</p>
10      <p v-else>Out of Stock</p>
11
12      <ul>
13        <li v-for="detail in details">{{ detail }}</li>
14      </ul>
15
16      <div v-for="variant in variants" :key="variant.variantId">
17        <p @mouseover="updateProductVariant,variantImage">
18          {{ variant.variantColor }}
19        </p>
20      </div>
21
22      <button v-on:click="addToCart">Add to cart</button>
23
24      <div class="cart">
25        <p>Cart({{ cart }})</p>
26      </div>
27
28    </div>
29  </div>
30 </div>

```

Copyright Attribution: Vuemastery

Example code