

```
'dmary@abc.com'
•   }
•   }
•   }
• })
```

In the above code, the author name and post information are defined. Consider creating the child component called 'AuthorName'. The html template will be as below:

```
• <div id = "app">
•   <AuthorName : owner = "author" > </Author-
Name>
• </div>
```

In the above code, the 'author' object gets passed to the 'child component' as props. The name of the props is given as 'owner'. So, the 'owner' acts as a medium through which data passes from parent to 'child component'. The data to pass is defined in the 'parent component' within the 'author'. To access this data, it is necessary to declare the props in the 'child component' as:

```
• Vue.component ('AuthorName', {
•   template : `
•     <div>
•       <h2> {{ owner.name }} </h2>
•       <p> {{ owner.email }} </p>
•     </div>
•   `,
•   props : ['owner']
• })
```

Validation can also get enabled while passing props. Enabling validation implies that we will define the type of prop. If the incorrect prop type is passed, the error should appear. To enable validation, little modification needs to be done in the above code.

```
• Vue.component ('AuthorName', {
•   template : `
•     <div>
•       <h2> {{ owner.name }} </h2>
•       <p> {{ owner.email }} </p>
•     </div>
•   `,
•   props : {
•     owner : {
•       type : String,
•       required : true
•     }
•   }
• })
```