

FOLDERID_UsersFiles	GUID {f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}
FOLDERID_UsersLibraries	GUID {A302545D-DEFF-464b-ABE8-61C8648D939B}
FOLDERID_Videos	GUID {18989B1D-99B5-455B-841C-AB7C74E4DDFC}
FOLDERID_VideosLibrary	GUID {491E922F-5643-4AF4-A7EB-4E7A138D8174}
FOLDERID_Windows	GUID {F38BF404-1D43-42F2-9305-67DE0B28FC23}

Along with that there are environment strings that are used to locate system folders regardless of which partition that you might have installed Windows in. Here's a quick reference table for the same.

Environment String	Example Path
%ALLUSERSPROFILE%	C:\ProgramData
%APPDATA%	C:\Users\username\AppData\Roaming
%LOCALAPPDATA%	C:\Users\username\AppData\Local
%ProgramData%	C:\ProgramData
%ProgramFiles%	C:\Program Files
%ProgramFiles(x86)%	C:\Program Files (x86)
%PUBLIC%	C:\Users\Public
%SystemDrive%	C:
%USERPROFILE%	C:\Users\username
%windir%	C:\Windows

Redirecting Folders

There are several reasons why users would want to reroute certain files, but two stand out. The first option is to move the My Documents folder to another disc. Users might, for example, divert My Documents to disc D so that they can reinstall Windows on drive C without losing their files. The second scenario occurs when users are connected to a network and wish to access their documents from multiple computers. They can then route their My Documents and Favorites folders to a network location, giving them access to them from anywhere. IT experts frequently desire to route My Papers to a network location so that users' documents may be backed