

up more easily. This is possible with IntelliMirror's Redirected Folders functionality. Without Active Directory, IT workers can't employ IntelliMirror functions, but they can emulate Redirected Folders.

The key `HKCUSoftware\Microsoft\Windows\CurrentVersion\Explorer\Shell Folders` holds the location of per-user special folders in Windows. Because they are REG_EXPAND_SZ values, you can utilise them with environment variables. To direct the folder somewhere inside users' profile folders, use percent `USERPROFILE` percent in the path, or use percent `USERNAME` percent in the path to include users' names. Set the value `Favorites`, which you looked up in the table, to `Server Share %USERNAME% Favorites`, where `Server Share` is the server and share holding the folders, to route users' Favorites folders to the network. Windows XP updates a second key, `HKCUSoftware\Microsoft\Windows\CurrentVersion\Explorer\Shell Folders`, with the paths from `User Shell Folders` the next time the user signs on, so you don't have to. Shell Folders are not used by Windows, according to Microsoft's documentation. The next section explains how to automatically redirect particular folders. Replace the term `PERSONAL` with the location where you wish to redirect the My Documents folder in the text file `Redirect.inf`. (Use environment variables to ensure that the script works for everyone.) The strings `FAVORITES`, `PICTURES`, and `APPDATA` should be treated similarly. Right-click `Redirect.inf` and select `Install` to specify these options. Using `Add Or Remove Programs`, you may uninstall this script.

Redirection.inf

```
[ Version]
Signature=$CHICAGO$

[DefaultInstall]
AddReg=Reg.Settings
AddReg=Reg.Uninstall
CopyFiles=Inf.Copy

[DefaultUninstall]
DelReg=Reg.Settings
DelReg=Reg.Uninstall
DelFiles=Inf.Copy
```