

6. Importing the project into Eclipse

Now start Eclipse, select File → Import → Existing projects into workspace, hit next, then browse for your package's directory (select root directory). Do NOT select Copy projects into workspace. Then finish.

You should now be able to browse through the code (hold down CTRL while clicking on a function/class name), get auto-completion (automatically appears, or press CTRL-SPACE) et cetera.

7. Fixing unresolved includes

There are many possible reasons why indexing cannot resolve all includes, functions, methods, variables, etc. Often, fixing the resolving of includes solves these errors. If you have any problems, these might be fixed by:

- If the dependencies of your project have changed since first adding them to Eclipse, regenerate the project files and reimport the project into your workspace.
- Making sure to load your .bashrc environment with Eclipse, by launching it using `bash -i -c "eclipse"` (see Reusing your shell's environment).
- In Eclipse, right-click the project, click properties → C/C++ general → Preprocessor Include Paths, Macros etc. Click the tab "Providers" and check the box next to "CDT GCC Built-in Compiler Settings [Shared]".
- Afterward, right-click the project, select Index → Rebuild. This will rebuild your index. Once this is done, usually all includes will resolve.
- As a last resort, you can also manually add folders that will be searched for headers, using right-click project → properties → C/C++ Include Paths and Symbols. This is usually not necessary though.

8. Building the project inside Eclipse

The eclipse-project makes the target automatically tries to set the environment variables correctly such that building within Eclipse should work out-of-the-box. Especially if you follow Reusing your shell's environment from above.

If not, this is where you need to start looking: Right-click on the project, select Properties → C/C++ Make Project → Environment, and check whether the following environment variables are assigned to the correct values:

- 1 ROS_ROOT
- 2 ROS_PACKAGE_PATH
- 3 PYTHONPATH