

The PostScript subset known as EPS has additional limitations that make it possible to store graphic files. These files can be enclosed within another PostScript file and are often self-contained. A low-resolution preview of the image is contained in an EPS file, which certain applications may show as a PostScript programme. In earlier times of its existence, it was typical to save Illustrator files into an EPS format before sharing them with tools for page layout.

In the 1990s, Windows started using the WMF file format, which Illustrator could export to. This format may be utilised similarly to the SVG format because it can hold both bitmaps and vector drawings. There is a list of functions in WMF files.

The Windows Graphics Device Interface (GDI) employs a set of function calls from WMF files to show a picture. Since some GDI methods handle errors, a WMF can contain executable code.

VML was an Office Open XML standard that used an XML-based format for two-dimensional vector graphics. Since 2012, Internet Explorer has stopped supporting it, however, it is still present in Office Open XML for historical reasons and was once supported by Illustrator.

Since 1999, the World Wide Web Consortium (W3C) has maintained the SVG specification as an open standard. The Extended Markup Language (XML) on which this format is based allows two-dimensional graphics for both animations and interactive pictures. XML files that specify SVG images

Illustrator can save and export other file formats too!

The following formats can be exported from Illustrator:

1. AutoCAD Drawing (dwg)
2. AutoCAD Interchange (dxf)
3. Enhanced Metafile (emf)
4. BMP (bmp)
5. JPEG (jpg, jpe, jpeg)
6. Flash (swf)
7. Macintosh PICT (pct)
8. GIF
9. PNG (png)
10. Text Format (txt)
11. Photoshop (psd)
12. Targa (tga)
13. TIFF (tif)