

Setting path at Unix/Linux

To add the Python directory to the path for a particular session in Unix –

- In the csh shell – type `setenv PATH "$PATH:/usr/local/bin/python"` and press Enter.
- In the bash shell (Linux) – type `export PATH="$PATH:/usr/local/bin/python"` and press Enter.
- In the sh or ksh shell – type `PATH="$PATH:/usr/local/bin/python"` and press Enter.
- Note – `/usr/local/bin/python` is the path of the Python directory

Setting path at Windows

To add the Python directory to the path for a particular session in Windows –

At the command prompt – type `path %path%;C:\Python` and press Enter.

Note – `C:\Python` is the path of the Python directory

Changes in Python

Python 3.0 has a list of new features that enhance the efficiency of developers and programmers. These are:

New syntax features:

- Structural Pattern Matching: Specification
- Structural Pattern Matching: Motivation and Rationale
- Structural Pattern Matching: Tutorial
- Parenthesised context managers are now officially allowed.

New features in the standard library:

- Add Optional Length-Checking To `zip`.

Interpreter improvements:

- Precise line numbers for debugging and other tools.

New typing features:

- Allow writing union types as `X | Y`
- Explicit Type Aliases
- Parameter Specification Variables

Important deprecations, removals or restrictions:

- Require OpenSSL 1.1.1 or newer
- Deprecate `distutils` module.