

22 > An Acting Class

plex AI behavior patterns that react dynamically to player actions and environmental changes.

Level Blueprint

Each level in your game can have its own Level Blueprint, which controls the overall behavior of that level. This could include triggering events when the player reaches certain points, controlling lighting and environmental effects, or managing cutscenes and dialogues.

Interactive UI Design

UE5 also offers the UMG (Unreal Motion Graphics) UI Designer, a toolset for creating interactive user interfaces. You can create main menus, in-game HUDs, interactive maps, and much more.

Actors

Unreal Engine 5 (UE5) has a unique way of handling the objects present in a game environment. It uses a system known as Actors. Understanding this fundamental concept can greatly enhance your ability to develop games in UE5.

Understanding Actors

In the simplest terms, an Actor in UE5 is any object that can be placed into a level. They are the key building blocks of any UE5 game or project. This could include players, enemies, props, vehicles, weapons, particles, lights, and even the levels themselves.



Actors in UE5 are made up of various components, which define their properties and behaviors. These components could be 3D models, physical attributes, sound effects, animations, and more. By adjusting the components, you can change the functionality and appearance of an Actor.

Types of Actors

There are several types of Actors you can use in UE5:

- **Static Actors:** These are non-movable objects in the game, like buildings or terrain.
- **Dynamic Actors:** These are movable objects in the game. They can change their position, rotation, and scale during gameplay.

- **Pawns:** These are a type of Actor that can be controlled by players or AI. This includes characters, vehicles, or any entity that can receive input.
- **Character Actors:** This is a type of Pawn that includes additional components to support humanoid movement behavior, such as walking and jumping.

Working with Actors

To create an Actor in UE5, you typically start by creating a new class derived from the Actor class. You can then add components to your Actor to define its appearance and behavior.

Once you've defined your Actor, you can place instances of it into your levels. Each instance is a separate entity in the game world, and they can each have different properties.

You can interact with Actors in UE5 using both C++ and Blueprint Visual Scripting. This allows you to control their behavior, respond to player input and game events, and much more.

Behaviour Trees

Creating engaging and reactive artificial intelligence (AI) is crucial for modern games, and Unreal Engine 5 (UE5) provides a robust toolset for designing complex AI behavior patterns. Among these tools, Behaviour Trees play a central role.

Understanding Behaviour Trees

A Behaviour Tree is a system used for defining the decision-making process for AI characters in a game. It represents a hierarchical tree-like structure of AI tasks and decisions, where each node in the tree is either a task, a decision point, or another tree of decisions.

The Behaviour Tree runs from top to bottom. At each decision point, or branch, it chooses a path based on the AI character's current state, variables and the context of the game world. This makes the AI's decisions reactive to the gameplay, and allows for complex, unpredictable behavior patterns.

Components of Behaviour Trees

A Behaviour Tree in UE5 consists of several components:

- **Root:** This is the base of the tree. It can have one child node.
- **Tasks:** These are the leaves of the tree - the actions the AI character will perform. This could be moving to a location, attacking a target, or any other behaviour you define.
- **Decorators:** These are condition checks that are used to control the flow of the Behaviour Tree. They're attached to other nodes and will decide whether a node can run based on certain conditions.
- **Services:** These are operations that are executed at specified intervals. They're used to perform checks and update the Blackboard, a memory space for AI decision-making data.
- **Composites:** These are the branch nodes of the tree that control the execution flow between their children, based on their type (Selector, Sequence, etc.).