

containing the script and issue:

```
#./win-umount [Enter]
```


It will be easier to use the scripts if they are located in the user's Home directory, since the konsole or the terminal opens in that location by default.

Taking A Screenshot On A Linux Machine

There is no fixed method of taking a screenshot in Linux. That means a method used to take a screenshot in Gnome is not applicable for KDE. Here, we look at the different methods of taking screenshots—the Gnome method, the KDE method and the Gimp method.

Gnome Method

It is very easy to take screenshots in the Gnome environment. Just press the [Print Screen] button; the "Save Screenshot" dialog box displaying a screen capture will pop up. This image can be saved only in the PNG format. By default, the save location is the current user's Desktop. You can choose to save it in the Home folder of



Taking a screenshot in a Gnome desktop environment is easier than in Windows

the current user, or choose Other to save it to a specific location. Also, pressing [Alt] along with [Print Screen] will result in an image capture of the active window and not the whole screen.

KDE Method

Try using [Print Screen] key in KDE. You'll soon find that nothing happens. Well, KDE doesn't have this feature! You'll need to install a KDE package called kdeggraphics3 if it's not already installed. Normally, the package is a part of all KDE desktops in

most distributions—so all you need to do is verify that it exists. Open the Run Command dialog box, type in "ksnapshot" and hit [Enter]. If that fails to open the application, you need to download the package, else choose the Gnome or the Gimp method for taking a screenshot.

If Ksnapshot will open, it displays a preview of a

