




The silent monitoring feature enables adding of downloads without confirmation

windows. To enable Silent mode, go to Options > Download Options > Monitoring. Check the box for Silent monitoring. Click OK. Now every time you click on a downloadable file, FDM will automatically queue and start downloading them without asking you. If you want to avoid getting any

unwanted files downloading by mistake, go back to the same window where you enabled Silent Monitoring. Check the ALT must be pressed box. Click OK. Now downloads will only be added if you have the [Alt] key held down while clicking.

Adding FDM Support For Firefox

If FDM hasn't integrated itself with Firefox, you'll have to manually add downloads. To enable integration for Firefox and any other browsers like Netscape, Opera, etc., select Options > Download Options. Click on Monitoring. Check the box for Firefox and any other browsers that you may have installed. Click OK. A plugin will be installed into Firefox. You can now right-click on a link in Firefox and click Download with FDM to download it. You can also download all the links in a page using the same menu. ■

FLASHGET

A few years ago, download managers were either ad-based or commercial software. FlashGet, Download Accelerator Pro, and GetRight were some that were used a lot despite them being shareware or adware. FlashGet, now, is totally free and ad-less. Support for some P2P protocols has been added as well in the latest release, which means FlashGet can become your universal downloading tool. We go through the latest version, FlashGet 1.9.2, looking at some of its key features.

Download Without Confirmation


Confirming every single download you add can be irritating. FlashGet has a workaround for this, which can be enabled with a couple of clicks. Select Tools > Options. Click Monitor in the left pane. Uncheck the boxes Add Job With Confirm for both the browser and the clipboard. FlashGet will now not pop up confirmation windows for adding downloads.

Adding Additional eMule Servers

FlashGet has added support for eDonkey servers and BitTorrent. A default set of eDonkey servers will already have been added when you install FlashGet. To add any favourite servers, go to Tools > Options > eMule. Click the Server List button. Enter a server name, its address, and the port provided by the site. Click Add and then OK.

Setting Up The Right Graph Scale

FlashGet's dropzone doubles up as a graph that shows the current download speed. The scale by default is set to 100




Set up the FlashGet graph to suit your connection speed

KB/s. This value needs to be changed to a suitable value for your connection; for example, a 256 Kbps connection would be 32 KB/s. To change the value, go to Tools > Options > Graph/Log. Under Scale, change the value to appropriately and click OK.

Connection Settings For Manual Speed Limits

FlashGet has a manual speed mode that allows you to limit the connection speed, which will help if you're also browsing, for example. With the latest few releases and updates of FlashGet, the speed limiting icon from the Desktop may not be visible in the toolbar. You can add it by right-clicking on the toolbar and clicking Buttons. Choose Speed from the Available toolbar buttons list and click Add and then Close. The button will appear on the toolbar.

To set the speed, go to Tools > Options > Connection. From the Connection Type/Speed drop-down, choose the type of connection you have.



Limiting speed leaves bandwidth for other applications to use


If it's not on the list, choose Other, and enter the speed in bytes per second. Click OK. When you have downloads on, click the Speed button in the toolbar and select Manual to set a limit. A slider will appear in the status bar below. Move it to set the appropriate speed to limit downloads to. To make it unlimited again, click the same button from the toolbar and click Unlimited.

Disabling P2P

Most of us might prefer using our favourite BitTorrent and eDonkey clients, like uTorrent and eMule, for example. You can stop FlashGet from being the default torrent client, and even disable the eMule component from FlashGet. Select Tools > Options. Click BT and uncheck the box Make FlashGet as default BitTorrent client. To disable eMule, click General and uncheck the box Enable eMule. Click OK. A restart of FlashGet might be required for the settings to take effect.

Creating A Torrent

FlashGet acts as a full-fledged torrent client, allowing you to create torrent files and upload them to trackers. Select Tools > Make Torrent File. First add the file or directory you want to share by clicking the Browse button after choosing one of the two radio buttons called Single File and Directory. Choose a



FlashGet can create and then seed torrents

network type from the drop-down menu. Enter the address of the tracker in the text field. Entering multiple tracker addresses will allow you to have the torrent hosted on multiple trackers. Then, click Browse under Output to have the torrent file output to a different location (where the torrent file will be dumped for your friends). Click Make and then OK.

Now that the torrent is created, you need to open the torrent file so you can upload data to other users. Select File > Open torrent file. Select the torrent file and click OK. Choose to save the file or folder to the same location from where you created the torrent file. Click OK.