

Hacked on Counter Strike!

Valve's Source SDK contains vulnerability that allows remote code execution on CS:GO, TF2, H1Z1:DM, Portal 2, etc. <http://dgit.in/CSGObug>



Musk vs Mark on AI

Elon Musk says Mark Zuckerberg's knowledge on AI is 'limited' after he dismisses Musk's warnings. <http://dgit.in/MuskVSMark>

convenient as they involves adding up single-line strings with + signs or ending each line with ".

What we'll use for our examples is a new syntax added last year that allows multi-line strings as long as they are quoted using the backtick character (`) (on the left of the number 1 on QWERTY keyboards).

There are other approaches available while building real applications. One way is to keep the template used in your HTML code inside a template tag and refer to it using its id. Other, even better methods are available once you involve a build system like Webpack, but we won't go into that here.

HANDLING INPUT AND EVENTS

Respond to user inputs is the core part of any UI framework and Vue offers a simple but flexible way to do that. Let's see how, in just a few lines of code, you can build a functioning GitHub user search app with Vue here: <http://dgit.in/GHSrcApp>.

This code should introduce you to a few new things. First, the v-model directive - this binds the input element's value to the query property. Any changes made to the text input are reflected in the query property, and any changes made in the property are reflected in the text input in the UI.

The @click you'll see in the code is shorthand for v-on:click, and is Vue's

syntax for attaching an event handler. You can handle any event with this syntax of @event or v-on:event, and the corresponding method will be called with details about the event.

You might have noticed @keyup.enter on the text input element. This tells Vue that we only care about the keyup event if enter was pressed. Normally, our code would need to check if the enter key was pressed on each keyup event, but Vue can just do this for us.

There are many other such modifiers that Vue provides, such as click.ctrl to check if ctrl was pressed while clicking, or submit.prevent to prevent refreshing the page after form submit.

Also these event handlers are bound to `search` which is a method we need to define. You can see our `search` method defined inside `methods`. Our search code is quite straightforward, it is using the new JavaScript fetch API to get users matching our query using GitHub's API. The response is then being converted to JSON and the returned items are saved on to the `users` property.

COMPONENTS

As applications become more complex, it becomes important to break down apps into smaller components, and Vue supports doing with a component system that lets you create custom



Our basic GitHub user search app showing results for 9dot9.

HTML tags that can have their very own attributes.

We'll start by taking our user details list element and putting it into its own component called "github-user" here: <http://dgit.in/UsrDtls>

You'll notice instead of using new Vue({...}) here we are using Vue.component where the first parameter is the name we are giving to the component and the second parameter sets up options for the component.

Inside props we can provide a list of all the properties that can be passed to this new component. Code that uses this component can pass in a user property. If we wanted we could instead ask for the avatar url, html url, user login, and user type as separate props in the code.


The template is a copy of what we've seen before but with the loop removed, since this component is for a single user. Our main app can now use this component instead of the li tag as follows:

*VUE-SEFUL RESOURCES



*Vue JS 2 Guide

Learn how to build Vue.js Applications - all the Way from Simple Ones up to Large Enterprise-level Ones
<http://dgit.in/Vuedemy>



*Vue Resources

A curated list of awesome things related to Vue.js - from libraries, example projects to an entire job portal for devs.
<http://dgit.in/VueResrc>



*Vue vs Other frameworks

How do frameworks like React, Scale and the good old HTML & CSS measure up?
<http://dgit.in/VueComprs>