

April fools prank

Parrot was intended to be an April Fools' Day prank, but eventually the name was used for an actual virtual machine for dynamic programming languages

Unnecessary coding

Unnecessary is a "programming language" where the existence of a program code file is considered an error!

Developer corner

Insulting A/S.

Act I: Ham-

let's insults and flattery.

Scene I: The

insulting of Romeo.

[Enter Hamlet and Romeo]

Hamlet:

You lying stupid fatherless big
smelly half-witted coward!

You are as stupid as the dif-
ference between a handsome rich
brave

hero and thyself! Speak your
mind!

You are as brave as the sum of
your fat little stuffed misused
dusty

old rotten codpiece and a beau-
tiful fair warm peaceful sunny
summer's

day. You are as healthy as the
difference between the sum of the
sweetest reddest rose and my
father and yourself! Speak your
mind!

You are as cowardly as the sum
of yourself and the difference
between a big mighty proud
kingdom and a horse. Speak your
mind.

Speak your mind!

[Exit Romeo]

Pro: The plays you wrote in school
might actually be valid programs.

Con: Open sourcing your best-selling
software might result in a drop in
sales of your award-winning play

LOLCODE

<http://lolcode.com>

LOLCODE borrows heavily from the
lolcat meme, by using statements such
as HAI, and CAN HAS STDIO? making
even the most complex and efficient
program code look like something even
a cat wouldn't be associated with.

LOLCODE has inspired LOLPy-
thon, which uses the Python syntax, but
replaces Python keywords with those
inspired by LOLCODE. It works by
converting LOLPython code to Python
and running it on the normal interpreter.

We considered writing this intro-
duction to LOLCODE in the kind of
language used in "lolcat" texts, but it

seemed a little overwhelming. We doubt
we'll be able to code in it any better.

From the LOLCODE FAQs: *This is a love
letter to very clever people who are slightly bored.
I had no idea there were so many of us out there.*

**Example Program (Opens file "LOL-
CATS.TXT" and prints it on screen):**

HAI

CAN HAS STDIO?

PLZ OPEN FILE "LOLCATS.TXT"?

AWSUM THX

VISIBLE FILE

O NOES

INVISIBLE "ERROR!"

KTHXBYE

Pro: Programs fit well with
images of kittehs

Con: SRSLY

Aargh!

<http://www.sha-bang.de/>

This language is named after the sound
one makes when one reads the "Hello
World" program — we're just guessing.
Aargh! programs are written in 2D, with
each instruction being one character and
programs being a matrix of characters
with the interpreter moving along in 2D.
The characters h, j, k and l for example,
change the execution direction to left,
down, up and right respectively.

Example Program (Hello World):

```
j      world
lppppppPPPPPPsrfj
hello,  *  j
               qPh
```

Pro: You can spend hours creating
clever programs that execute in multiple
directions

Con: You can spend hours creating
clever programs that execute in multiple
directions

Malbolge

<http://www.lscheffer.com/malbolge.shtml>

When a language is named after the eighth
level of Hell, you're bound to take notice.
Malbolge is designed to be the most dif-
ficult language to program in. Considering
that the first Malbolge program appeared
two years after the language was defined,
and wasn't written by a human, but rather
generated by another computer program,
we think it's quite successful in its goal.

IRP (INTERNET RELAY PROGRAMMING)

Internet relay programming is a unique
cooperative programming languages
that uses the power and flexibility of
the internet infrastructure, supports
multi-processing, cloud-computing, and
utilizes the power of the human brain.
Furthermore the programs are written in
plan english that is easy to understand
and essentially self-documented.

Internet relay programming requires
the developer to join the #IRP channel on
irc.freenode.net. Once there you merely
need to state what your program is sup-
posed to do.

A hello world program could be pro-
grammed as easily as typing:

```
<BuntyTheDeveloper> Kindly say  
"Hello, World!"
```

```
<PappuTheInterpreter> Hello,  
World!
```

Being impolite or asking for a the
output of the lyrics of the 99 Bottles of
Beer on the Wall song is likely to get you
banned from access to this most won-
drous programming innovation.

Malbolge discards such shallow conven-
tions as binary, and instead uses trinary.
For those unfamiliar, trinary is a number
system with 3 digits instead of the two in
binary and 10 in decimal. A trinary count
of the first ten numbers would be:

0 1 2 10 11 12 20 21 22 100

You won't be seeing the Linux kernel
ported to Malbolge anytime soon, but do
check out the "Hello World" program for
some inspiration.

Andrew Cooke (creator of the Hello
World Malbolge program):

"this[linked] malbolge program gener-
ates:

```
HELLO WORld
```

*it's not perfect - i ignored case to make the problem
simpler (completion left as an exercise for the
reader - it should be possible)."*

Example Program (Hello World):

```
(' & % : 9 ] ! ~ ) | z 2 V x w v - , P o q p o n l  
$ H j i g % e B @ @ > } < M : 9 w v 6 W s U 2 T | n m -  
, j c L ( I & % $ # "  
` C B ] V ? T x < u V t T ` R p o 3 N l F . J h + + F d b  
C B A @ ? ] ! ~ | 4 X z y T T 4 3 Q s q q ( L n m k j " F h  
g $ { z @ >
```

Pro: Writing a program to generate
Fibonacci numbers in Malbolge could
be the achievement of you life

Con: It would be a sad life. 