

deploy complementary mechanisms designed to compensate for such problems. In the covert channel example, auditing and detection mechanisms should be utilised to minimise the chances that known channels are exploited. In turn, these should depend on secure operating systems to protect their critical components, such as audit logs and intrusion sensors, because they are subject to the same types of vulnerabilities as those discussed elsewhere here.

Virus And Malicious Code Protection For Wireless Devices

Source: “Virus and Malicious Code Protection for Wireless Devices”
available at
http://download.antivirus.com/ftp/white/wireless_protection022801.doc

Although malicious code has yet to cause serious damage or incur substantial costs in the wireless arena, such code seen in the lab and, in some cases, in the real world, has indicated that this undesirable code has the potential for serious disruption to the wireless infrastructure. As the line between cellular phones and personal digital assistants blurs, the enhanced functionality of the wireless devices that emerge offers a playground for hackers and e-vandals—in much the same way that each new medium emerging in the last two decades has offered such an opportunity.

The world is going mobile. While the lack of affordable mobile phone service is a fairly recent memory for many consumers, today, most consumers take for granted the ability to communicate with friends and family anywhere, anytime, at a reasonable cost. At the same time, mobility is the watchword today in business. Global prosperity and an even faster pace of business are driving the desire for employees, partners, and customers to be able to communicate, without regard for location.

Yet increasingly today, mobility has a different face. The ability to transmit and receive wireless data is enabling an entirely new type of business. M-commerce, perhaps initially visualised by many as the teenager purchasing a soda using a cell phone in a