

HTML (Hypertext Markup Language)

A simple hypertext publishing language based on the ASCII standard. This document-encoding scheme is used for resources published on servers on the World Wide Web. An HTML document is a mixture of ASCII text and special reserved character sequences, called tags, which control formatting of the text.

Hub

A hardware device that serves as the junction where individual PCs and/or other network devices connect to each other. Hubs may be connected to increase the number of available ports.

Hyperlink

The 'clickable' spots in an HTML document. Hyperlinks can be clicked by the viewer to cause a jump to another document or resource on the same or another Web server. The hyperlink has two components: the text or graphic that is displayed by the Web browser, and the URL of the resource that will be available upon clicking it.

Internet

A conglomeration of networks that are connected together, forming a world-wide network. It uses the TCP/IP protocol as its backbone. The Internet today is mainly used for commercial, rather than military, purposes.

IP (Internet Protocol)

The TCP/IP protocol that defines the IP datagram. It is a low-level protocol that is responsible for routing packets of data across separate networks tied together by routers. It tracks the Internet addresses of nodes, routes outgoing messages, and recognises incoming messages.

IP Number

Each machine, or host, that participates in any Internet transaction, is identified by a unique 32-bit number called the IP number. The IP number is used as a return address or as a destination address in Internet transactions. IP numbers are commonly writ-