

```

<TH id="header1">Name</TH>
<TH id="header2">Number of Products</TH>
<TH id="header3" abbr="Type">Type of Product</TH>
<TH id="header4">Trial or Released?</TH>
<TR>
<TD headers="header1">Johnson</TD>
<TD headers="header2">20</TD>
<TD headers="header3">AccVerify</TD>
<TD headers="header4">Trial</TD>
<TR>
<TD headers="header1">Smith</TD>
<TD headers="header2">30</TD>
<TD headers="header3">AccVerify Server</TD>
<TD headers="header4">Released</TD>
</TABLE>

```

Follow Guidelines for Blinking or Flashing Elements

Blinking or flashing elements are a potential source of harm to some Web site visitors, so you should avoid screens that flash at frequencies between 2 and 55 hertz.

There are ways to create dynamic effects without causing elements to blink or flash at all. If you want to provide a focus for the page visitor, consider using an image or an animated graphic instead of a flashing element. Scrolling text, for instance, can be used to achieve a dynamic effect. Through the use of a scrolling text applet, the scrolling text can become static text with a keyboard command. This ability to pause the text presentation helps users with cognitive disabilities who might need additional time to process information. Visit trace.wisc.edu/world/java/scroll-text.html to view an example of a scrolling text applet.

Set a Logical Keyboard Order in Forms

To help users navigate through a form using the keyboard, you should ensure a logical tab order - the order in which the cursor navigates through the form information if the user tabs through the form. To set tab order for forms in FrontPage 2002: