

for a hardware that is detected by BIOS and is installed in the Linux system but isn't functional due to the absence of proper driver or wrong driver selection.

Using the *lspci* command with *'/grep -i <device name>'* will display information related to the grep word. By the way, grep means "search globally for lines matching the regular expression, and print them" and the *'-i'* switch ignores case of the search word (case-insensitive).

Using Flash Drive

Before attaching a Pen drive/Thumb drive/Flash drive; what ever you call it, do *'lsmod'* and copy the output to a file, say *'Before' [#lsmod > Before]*. The output may look something similar to the one below:

Module	Size	Used by	Not tainted
usb-storage	69332	0	
natsemi	19552	1	
ide-scsi	12208	0	
scsi_mod	107160	2	usb-storage ide-scsi
ide-cd	35708	0	
cdrom	33728	0	ide-cd
ohci1394	20168	0	
ieee1394	48780	0	ohci1394
keybdev	2944	0	
mousedev	5492	1	
hid	22148	0	
input	5856	0	keybdev mousedev hid
usb-uhci	26348	0	
ehci-hcd	19976	0	
usbcore	78784	1	usb-storage hid usb-uhci ehci-hcd
ext3	70784	7	
jbd	51892	7	[ext3]

Insert the Flash drive to the USB port and repeat the *'lsmod'* command and save the output to a file, call it *'After' [#lsmod >*