

Details of Column Entries in /etc/fstab

Column No.	Field Name	Definition
1	Filesystem	This is the device file or the device driver for the hardware such as hard disk, cdrom, floppy, or a partition in your hard disk
2	Mount point	This is the place (usually a directory) where you want the device listed in column 1 to be mounted
3	Type of filesystem	As the name indicates, it could be any filesystem like ext3, ntfs, ufs2 and so on
4	Mount Options	The fourth column in fstab lists all the mount options for the device or partition viz. auto and noauto, user and nouser, exec and noexec, sync and async, ro, rw and lastly defaults (rw, suid, dev, exec, auto, nouser, and async)
5	Dump frequency	Dump checks it and uses the number to decide if a filesystem should be backed up. If it's zero, dump will ignore that filesystem.
6	fsck	fsck looks at the number in the 6th column to determine in which order the filesystems should be checked. If it's zero, fsck won't check the filesystem. Filesystems that have the same number greater than 1 are checked in parallel. If you are mounting CDROMs or network filesystems, then this value must be 0.

.txt—that's Windows not Linux). The permission of this file has to changes in order to make it a shell script. It is that simple!

We will be using the command line text editor '**vi**' for the above purpose.

#vi win-mount + [Enter]

The above command will create and open the file but its unsaved. In the file type the following lines after pressing the **[Insert]** key.