

remapping. Apart from lots of zeroes, you specify the code of the key you're going to press, and you specify the code of the key you want it to become. For example:

The left [Alt] key is 38 00.

[Backspace] is 0E 00.

So the remapping of left [Alt] to [Backspace] would be 0e 00 38 00. Note the order.

Now, there are eight pairs of zeroes at the beginning of the Scancode map, and four ending pairs of zeroes. Since we're changing only one key, we need to use 02 00 00 00. (Two keys would be 03 00 00 00). After that comes the mapping, then the ending zeroes.

So, to remap left [Alt] to [Backspace] would be

00 00 00 00 00 00 00 00 02 00 00 00 0E 00 38 00 00 00 00 00

Just visit www.usnetizen.com/fix_capslock.html for a complete list of Scancode maps. Also remember that the value to use to disable a key is, of course, 00 00. Here are a few useful values.

[Caps Lock]: 3A 00

Left [Ctrl]: 1D 00

[Tab]: 0F 00

[Enter]: 1C E0

Left [Shift]: 2A 00

Right [Shift]: 36 00

Disabling [Caps Lock] would therefore be eight leading pairs of zeroes, followed by 02 00 00 00, followed by 00 00 (for the disabling), followed by 3A 00 (for [Caps Lock]), followed by four pairs of zeroes. Try changing someone's [Enter] key to [Backspace]!