

To delete the icon, remove the entry **IsShortcut** from the following keys:

HCR\lnkfile (in “lnkfile”, it’s a small “ell,” not an “I”)

HCR\piffile

HCR\InternetShortcut

To change the icon, go to:

HLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Explorer\Shell Icons

Change the String Value entries for the setting “29” to the path and filename of the new icon. Setting this value to blank has the same effect as deleting them, but without any side effects.

By deleting the icon, Windows no longer considers these shortcuts as shortcuts. There maybe some side effect in using the shortcuts after this change: in some cases, deleting the arrow for .LNK files leads to duplicate items in the Explorer context menu. Ideally, rather than deleting the icon, just remove the file path to be on the safe side.

Add A Custom Folder To My Computer Or The Desktop

This hack will create a custom folder—like the special My Documents folder—and one that cannot be deleted or renamed!

Navigate to:

HCR\CLSID

Create a new key with a Globally Unique Identifier (GUID). The GUID is a 128-bit identifier that is usually generated by Windows. This can be a random number that is used to uniquely identify COM objects when required for a Registry entry. Examples of GUIDs are:

{25892e17-80f6-415f-9c65-7395632f0223}

{a53e98e4-0197-4513-be6d-49836e406aaa}

{e33898de-6302-4756-8f0c-5f6c5218e02e}