

Progressive format images are loaded by parts, which are displayed, as they are loaded. Such a format is good for large files.

1.1.3. GIF

The GIF file format is used to hold and transfer images in the index colour mode. This format also supports a lossless LZW compression algorithm (a single file may contain a set of images) and interlaced mode. It supports an additional channel to perform a transparency effect, and to hold a set of images that form the frames of an animation.

Files in this format have a set of compression algorithm features that allow compressing images with sequential horizontal colours. This means that a file which contains horizontal bars, will take lesser space than the same file with vertical bars.

GIF, unlike JPEG, uses a lossless compression algorithm. It also uses a patented compression /decompression algorithm, which is called LZW (Lempel Zev Welch). The interlaced mode enables it to refine images, while they are loaded. It is very convenient for large files, as you can see the main image features in several seconds after loading.

1.1.4. PCX

PCX format is one of the most usable graphic formats. Originally, it was designed by Zsoft for PC Paintbrush MS-DOS. Hence, it is also known as PC Paintbrush format. Zsoft signed a deal with Microsoft, and as a result, the latter was entitled to use PCX format with other products, including Microsoft Paintbrush for Windows (Microsoft Paintbrush program is delivered with each copy of MS Windows). PCX files are used for graphic data storage and exchange in desktop publishing systems. Image data is encoded with the help of one of the RLE algorithm variants.

1.1.5. TIFF

This format was generally used to hold scanned white and black images. It got prevalence for its support of incompact colour RGB