

First disable AHCI in the BIOS and set it to EIDE. Then boot your distro with the following parameter `Linux all-generic-ide`

sashijoseph

No Cursor

Q I had installed FC7 and Red Hat Linux 5 on my system, which has MSI K8NGM2 motherboard

1 GB RAM

NVIDIA chipset

160 GB SATA

AMD Athlon 64

My problem is that both Oses installed OK. However, I didn't see my cursor—my mouse is working properly, but there is no cursor. In addition, I changed my mouse, but problem persists.

chahal63

A Are you using a USB mouse? Try plugging and unplugging for `udev` to get the mouse detected. Another chance is wrong display size / driver set. May be you can show us your `/etc/X11/xorg.conf` pasted in <http://pastebin.ca> or similar sites and link here. Also post your monitor model display resolution, etc. If `gpm` is enabled, this may interfere with X too.

You should also check GNOME Menu Preferences > Mouse > Pointers for some options. If everything fails, use the `swcursor` option in `/etc/X11/xorg.conf` in the Section device part.

Option “SWcursor” “yes” or Code: Option “HWcursor” “off”. That may help after a `gdm` restart. You may need a display driver for NVIDIA. Either open source “nv” or proprietary 3d driver from NVIDIA!

praka123

\$PATH Environment

Q I installed gEDA suite from it's ISO image. All went perfectly well, but it said in the end that I need to set my `$PATH` variable to some directory and some `LD_LIBRARY_PATH` to the same folder. How do I do that?

aditya.shevade

A In the command line,

```
$> PATH=xyz:$PATH
```

```
$> LD_LIBRARY_PATH=xyz:$LD_LIBRARY_PATH
```

Sykora