

hours : minutes: Specifies the time when you want to run the command. Time is expressed as hours:minutes in 24-hour notation (that is, 00:00 [midnight] through 23:59).

/interactive : Allows the command to interact with the desktop of the user who is logged on at the time command runs.

/every: : Runs command on every specified day or days of the week or month (for example, every Thursday, or the third day of every month).

date: Specifies the date when you want to run the command. You can specify one or more days of the week (that is, type M,T,W,Th,F,S,Su) or one or more days of the month (that is, type 1 through 31). Separate multiple date entries with commas. If you omit date, at uses the current day of the month.

/next: : Runs command on the next occurrence of the day (for example, next Thursday).

command: Specifies the Windows command, program (that is, .exe or .com file), or batch program (that is, .bat or .cmd file) that you want to run. When the command requires a path as an argument, use the absolute path (that is, the entire path beginning with the drive letter). If the command is on a remote computer, specify Universal Naming Convention (UNC) notation for the server and share name, rather than a remote drive letter.

Attrib

Displays, sets, or removes the read-only, archive, system, and hidden attributes assigned to files or directories. Used without parameters, attrib displays attributes of all files in the current directory.

Syntax:

```
attrib [{+r|-r}] [{+a|-a}] [{+s|-s}] [{+h|-h}]  
[[ Drive:][ Path] FileName] [/s[ /d]]
```

+r: Sets the read-only file attribute.

-r: Clears the read-only file attribute.

+a: Sets the archive file attribute.

-a: Clears the archive file attribute.

+s: Sets the system file attribute.