

Shutdown

Allows you to shut down or restart a local or remote computer. Used without parameters, shutdown will logoff the current user.

Syntax:

```
shutdown [{-l|-s|-r|-a}] [-f] [-m [\\ComputerName]]  
[-t xx] [-c "message"] [-d [u][p]:xx:yy]
```

-l: Logs off the current user, this is also the default. **-m** ComputerName takes precedence.

-s: Shuts down the local computer.

-r: Reboots after shutdown.

-a: Aborts shutdown. Ignores other parameters, except **-l** and ComputerName. You can only use **-a** during the time-out period.

-f: Forces running applications to close.

-m [\\ ComputerName]: Specifies the computer that you want to shut down.

-t xx: Sets the timer for system shutdown in xx seconds. The default is 20 seconds.

-c "message": Specifies a message to be displayed in the Message area of the System Shutdown window. You can use a maximum of 127 characters. You must enclose the message in quotation marks.

-d [u][p] : xx : yy: Lists the reason code for the shutdown:

u: Indicates a user code.

p: Indicates a planned shutdown code.

xx: Specifies the major reason code (0-255).

yy: Specifies the minor reason code (0-65536).

Taskkill

Ends one or more tasks or processes. Processes can be killed by process ID or image name.

Syntax:

```
taskkill [/s Computer] [/u Domain\User [ /p  
Password]] [/fi FilterName] [/pid ProcessID] [/im  
ImageName] [/f] [/t]
```