

The above code creates a new style called `fmt1`. The alignment of this new style is then set to justify.

```
this.createTextField("bodytext",  
this.getNextHighestDepth(), 227, 81, 520, 422);  
bodytext.setNewTextFormat(style_fmt1);
```

The above code creates an empty text field called “bodytext” with the help of the `createTextField` method. The new text field that is created assumes the new style `fmt1` that is created above. The `getNextHighestDepth` method sets the depth of the body text.

H-text-img.as file

This action script file is associated with the `intro.fla` file. The various settings associated with the ‘body text’ (created in `h-text-image.as` file) text box is declared within this file

```
bodytext.html = true;  
bodytext.wordWrap = true;  
bodytext.multiline = true;  
bodytext.condenseWhite = true;  
bodytext.selectable = false;
```

The first line indicates that the textbox ‘body text’ should be html compatible and is set to true. The other properties associated with this text box are also fixed, i.e., `wordWrap` is set to true, `multiline` is set to true (i.e. the text box can accept multiple lines of text), white spaces are removed by setting `condenseWhite` property to true. Only the `selectable` property is set to false.

```
var myCSS = new TextField.StyleSheet();
```

Here a new style sheet object is added/ created by the new operator. The name of the new style sheet is given as `myCSS`.

```
var cssURL = "style.css";  
myCSS.load(cssURL);
```