

This line of code defines the onLoad handler, i.e. if the loading is successful the style sheet is loaded without any error. A message is generated on successful loading. On the other hand, if the loading is unsuccessful a message appears which indicates unsuccessful loading.

```
myContent = new XML();
myContent.ignoreWhite = true;
myContent.load("intro.xml");
myContent.onLoad = function(success) {
    if (success) {
        bodytext.text = myContent;//the value
of myContent is loaded into bodytext.
    } else {
        bodytext.text += "<br /> XML file
failed to load!"; } }
```

The first line indicates about the parsing of the 'myContent' variable with 'intro.xml' file. The ignoreWhite property is set to True. Then the 'intro.xml' file gets loaded with 'myContent'. Now the loading is checked by a conditional statement, i.e., if the loading is successful, the xml content is seen within the text field, i.e., body text. Otherwise if the loading is unsuccessful, an error message related to unsuccessful loading is generated.

Intro.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<body>
  <h1>Welcome</h1><br /><byline>Lorem ipsum dolor
sit amet, consectetur adipiscing elit. Vivamus
suscipit aliquet nunc. Aliquam interdum turpis
vitae risus. Nullam dolor. Pellentesque at lectus
et pede egestas viverra. Donec aliquam tellus et
magna. Morbi pharetra nisl in nibh. Fusce iaculis.
Sed condimentum tellus nec diam. Maecenas id
metus.</byline><br/>
```