

```

        echo "Upload File Stored in: " . $_FILES["upload-
edfile"]["tmp_name"];
    }
}
else
{
    echo "File not valid";
}??>

```

The code above describes the creation of a temporary copy of the uploaded files in the PHP temp folder on the server. These temporary files often disappear when the script ends. Hence, to keep them safe, you need to secure the uploaded files. Follow the example below:

Example:

```

<?php
    if      ((($_FILES["uploadedfile"]["type"]      ==
"image/gif")
    ||      ($_FILES["uploadedfile"]["type"]      ==
"image/jpeg")
    ||      ($_FILES["uploadedfile"]["type"]      ==
"image/pjpeg"))
    && ($_FILES["uploadedfile"]["size"] < 50000))
    {
        if ($_FILES["uploadedfile"]["error"] > 0)
        {
            echo          "Error          Code:          "          .
$_FILES["uploadedfile"]["error"] . "<br />";
        }
        else
        {
            echo "Upload: " . $_FILES["uploadedfile"]["name"]
. "<br />";
            echo "Type: " . $_FILES["uploadedfile"]["type"] .
"<br />";
            echo "Size: " . ($_FILES["uploadedfile"]["size"]
/ 1024) . " Kb<br />";
            echo          "Temp          file:          "          .
$_FILES["uploadedfile"]["tmp_name"] . "<br />";
            if
                (file_exists("upload/"
$_FILES["file"]["name"]))

```