

11.4 Getting information on database:

We all know that a database is a collection of information. With the help of the `mysql_list_dbs()` function, you can derive a list of different databases available from the recent database connection. Usually all databases begin from 0. The code written below will provide the entire information about the databases present in a connection including the names of the databases, names of the tables present in the database and the list of fields in the corresponding tables:

```
<?php
$con=mysql_connect('localhost','root') or
die('Can not connect database');
$db_list=mysql_list_dbs($con);
$num_db=mysql_num_rows($db_list);
while($select_db=mysql_fetch_object($db_list))
{
echo '<b>'."Database Name :".'\n';
echo '<b>'."$select_db->Database."'\n';
$db_name=$select_db->Database;
mysql_select_db($db_name,$con) or die('Cant find
database');
$show_tab = "show tables from $db_name";
$tab_list = mysql_query($show_tab);
$num_tab=mysql_num_rows($tab_list);
echo '<b>'."$select_db->Database contains
$num_tab Tables."'\n';
$x=1;
while($tab_name=mysql_fetch_row($tab_list))
{
echo "Table $j : '\n';
echo "$tab_name[0] \n";
$show_field = "show fields from
".$tab_name[0]."";
$field_list = mysql_query($show_field) or
die(mysql_error());
$num_field=mysql_num_fields($field_list);
echo "<table border='1'>";
echo "<tr align='center'>";
for($i=0;$i<$num_field;$i++)
{
echo
```

```
<th
```