

The 'Core data type' group includes Integer, Float/Double, String and Boolean. The 'Special data types' includes Null, Array, Object and Resources.

Integers: As discussed earlier, Integers are whole numbers. It does not include precision. Negative values are also regarded as Integers.

Example: -32, 32, 986, 1245, etc.

Floating-Point Number or Double: Fractional numbers are grouped as Floating point numbers or Double data type. Simply put, Double variables hold numbers with decimal points.

Example: 123.56, 5.6, etc.

The syntax of the 'Floating-Point Number or Double is as follows:

```
<?php
$a = 1.234;
$b = 1.2e3;
$c = 7E-10;
?>
```

Previously, a different syntax was used to define the 'Floating Point Number or Double. Now let's look at that syntax:

```
LNUM          [0-9]+
DNUM          ([0-9]*[\.]{LNUM}) | ({LNUM}[\.][0-9]*)
```

```
EXPONENT_DNUM (({LNUM} | {DNUM}) [eE] [+]? {LNUM})
```

Example:

```
<?php
//TRIAL 1
$numeral = 216897510871;
$original_numeral = $numeral;

$numeral *= 11123.74;
$numeral /= 11123.74;

if ($original_numeral == $numeral) {
    echo "Test 1: Value Equivalent<br />";
}
else {
    echo "Test 1: Value NOT Equivalent<br />";
}
```