

The output of this program is as follows:

```
Array ( [0] => bcmath [1] => calendar [2] => com_dot-
net [3] => ctype [4] => ftp [5] => iconv [6] => odbc
[7] => pcre [8] => session [9] => SPL [10] => SQLite
[11] => standard [12] => tokenizer [13] => zlib [14]
=> libxml [15] => dom [16] => SimpleXML [17] => wddx
[18] => xml [19] => apache [20] => mbstring [21] =>
mysql [22] => mysqli )
    " str_replace()
```

The 'str_replace()' function removes all the events of the search string and inserts the replacement values.

Example:

```
<?php
// Provides: <body text='black'>
$newbody = str_replace("%body%", "black","<body
text='%body%'>");
// Provides: Hll Wrld f PHP
$allvowels = array("a", "e", "i", "o", "u",
"A","E", "I", "O", "U");
$onlyconsonants = str_replace($allvowels,
"", "Hello World of PHP");
// Provides: You should eat pizza, beer, and ice
cream every day
$food_msg = "You should eat fruits, vegetables,
and fiber every day.";
$healthy_food = array("fruits",
"vegetables","fiber");
$testy = array("pizza", "beer", "ice cream");
$newphrase = str_replace($healthy_food,
$testy,$food_msg);
// Use of the count parameter is available as of
PHP 5.0.0
$str_replaced = str_replace("ll", "", "good golly
miss molly!", $count);
echo $count; // 2
// Order of replacement
$str_replaced = "Line 1\nLine 2\rLine 3\r\nLine
4\n";
$order = array("\r\n", "\n", "\r");
$replace = '<br />';
```