

The things to note here are the "spry:region" and "spry:repeat" attributes. These tell Spry how to handle this part of the page. The 'spry:region="moviesPage"' attribute tells Spry that we want the contents of this element to be processed by Spry before being outputted on the page. The 'spry:repeat="moviesPage"' attribute tells Spry to repeat the contents of this element for each item in the dataset 'moviesPage'.

Now all we do is put the data fields we want to output on the page within braces e.g. '{rank}'. Spry then replaces these with the actual values while processing the page.

Another amazing thing we have done in this app is something we didn't do in the original. We made the columns sortable! Now all you need to do is click on a column title, and it will sort the column!

How did we do this? Simply by adding an 'onclick' attribute to the cells of the header, telling Spry to sort the data. Take a look at the header tags we have now:

```
<th scope="col" onclick="moviesPage.sort('earning')">Earning</th>
```

The code "moviesPage.sort('earning')" is a JavaScript function that sorts the dataset by the column 'earning' and hence it is attached to the 'Earning' column heading. Similarly we add sort functions to the 'Rank' and 'Name' columns.

The navigation menu too is much simpler now. All the actions we need to perform are already supported by Spry.

```
<table class="navmenu">
  <tr>
    <td onclick="moviesPage.firstPage()">first</td>
    <td onclick="moviesPage.previousPage()">previous</td>
    <td onclick="moviesPage.nextPage()">next</td>
    <td onclick="moviesPage.lastPage()">last</td>
  </tr>
</table>
```

This code needs no explanation since it's purpose and action is fairly evident.