

work out the correct solution (rather than blindly overwriting one or the other original submission).

The two most commonly used ones are CVS and SVN.

CVS is an acronym for Concurrent Version System and SVN is for Subversion. On the download page of the software's web site you will often see CVS/SVN link, which can be accessed via CVS or SVN clients. If you are a Windows user you can use clients from Tortoise available at www.tortoisecvs.org and www.tortoissvn.net.

They will directly integrate with your "Windows Explorer" and let you download and explore the source-code tree.

If you are a Linux user you can use your favourite package manager (synaptics/yum/emerge) to download the "cvs" and the "subversion" package. These will also be installed for you in the cygwin shell. And then just use the **CVS** or **SVN** command on the command line.

Example

To download the source code of TuxPaint (an MS Paint alternative) you can run the following commands:

For read-only anonymous access, type:

```
cvs -d:pserver:anonymous@tuxpaint.cvs.  
sourceforge.net:/cvsroot/tuxpaint login  
and then
```

```
cvs -z3 -d:pserver:anonymous@tuxpaint.cvs.  
sourceforge.net:/cvsroot/tuxpaint co -P  
tuxpaint
```

to download the code.

Similarly, as an example to check out the Spamassassin plugin source for apache web server you can use the following command

```
svn checkout http://svn.apache.org/repos/  
asf/spamassassin/trunk spamassassi
```

3.3 Compiling from source for Linux and Windows

For Windows users, Cygwin provides native integration of Windows-based applications, data, and other system resources with applications, software tools, and data of the Unix-like environment. It consists of two primary parts, one is A DLL (cygwin1.dll) which acts as a Linux API emulation layer providing substantial Linux API functionality. The other is a collection of tools that give a Linux look and feel.