

take a break, have a cup of coffee and come back.

Now one of the things about Slackware is that the GUI does not start immediately on startup. After Slackware starts up, you will have to login, using the username and password. At the prompt, key in “startx” to start the X windows manager. This is whatever windows manager you chose during the installation process.



First run after installation

5.2.2 Default programs and installing programs

If KDE is selected as the Windows manager, KOffice is installed as the default office suite. Slackware is geared towards programmers in the sense that a bunch of coding and debugging tools are also entered. Like apt-get in Ubuntu, the command for getting applications for Slackware is slapt-get. There is unfortunately no default program for resolving dependencies automatically, and users will have to initially wade through dependency hell for some programs. However, because of the wide range of programs installed by default, and the coding frameworks, the lack of dependencies will be few and far between, which will reduce drastically on use.

Slackware uses .tgz packages for installation. If you are downloading a software for Slackware, and don't want to compile the software, look for the .tgz package on the software website. If one isn't there, chances are, there is an unofficial build. Scout around in the forums and on Google. Once you get hold of a .tgz package, use the

#installpkg (packagename)

Command. Another interesting tool that Slackware provides, is support for .rpm packages. There is just another step in between. As .rpm packages are easier to come by, this is pretty convenient. Use the following command.

#rpm2tgz (packagename)