

Change the value of coordinates to 0 (Zero). This will get the deformer facing in the correct direction. While the deformer is selected, go to the channel box and change the factor value to **0.4** or even **-0.4**. You can see how the ball is squashing and stretching. If you scrub through the timeline, you will notice that the deformer stays in its place and if you change the fact value, the ball doesn't deform that well or in some cases it doesn't deform at all. This is when the term "parenting" comes in to picture.

Parenting means when two objects are parented together, it will make a parent and child relationship between the two. In other words, the child object will follow the parent. If two objects are selected in sequence, the first selected object becomes a child of the second selected object. In this case we need to select the line (deformer) first and then the ball. Select the line. Press **Shift** + left mouse button and click on the ball. Now go to **Edit > Parent**. This will parent them together.

Once you are done with parenting, start deforming the ball. When the ball comes from outside the window and hits the ground, it should squash a little. So, select the deformer and go to **Factor**. Change the values where it looks like it's squashed and right-click on the value and select **Key Selected from the menu**. Go back to the first frame and change the factor's value to 0 and do the same, right-click and set a key there.

Playback frames **1** to **12** and notice how the shape deforms itself. Scrub through it and where you see the ball isn't deforming well, you can change the factor rate and set a key there. You can put set any number of keys as long as it looks good and does not jitter. Repeat the same steps for the rest of the frames to get the result you want. You can also play with **Max Expand Position** so as to put minor details where necessary. 