

contributed content to specific users.

- `<fb:tabs>` use it to add tabbed-navigation style links to your application. Individual tab items can be added with the `<fb:tab-item>` tag.

You can nest the `<fb:action>`, `<fb:help>`, and `<fb:create-button>` tags:

```
<fb:dashboard>
  <fb:action href=".">Add </fb:action>
  <fb:action href=".">Delete </fb:action>
  <fb:help href=".">Help </fb:help>
  <fb:create-button href=".">Add </fb:create-button>
</fb:dashboard>
```

But the `<fb:tabs>` tag only allows the `<fb:tab>` tag to be nested:

```
<fb:tabs>
  <fb:tab_item href="." title="Add" />
  <fb:tab_item href="." title="Delete" />
  <fb:tab_item href="." title="Help" />
</fb:tabs>
```

Typically you should use the `<fb:tabs>` tag for creating an overall navigation schema, and the `<fb:dashboard>` tag for performing functions within your application.

5.10 Dialog boxes

These tags provide the modal dialog boxes for your application, which is nothing but a really fancy pop-up box used to interact with your users. It is an alternative to using FBJS to create this type of interaction between your users by utilizing the Dialog Box Javascript.

`<fb:dialog>` Creates the container for the dialog box.

`<fb:dialog-title>` Set the title for your dialog box.

`<fb:dialog-content>` Used to write the message contained in the dialog box.

`<fb:dialog-button>` Used to renders button for your dialog box.

The FBML snippet for constructing a dialog box goes like:

```
<fb:dialog id="fb_test">
  <fb:dialog-title>Sample Dialog Box</fb:dialog-title>
  <fb:dialog-content>Content</fb:dialog-content>
  <fb:dialog-button type="button" value="Okay" close_
dialog="1" />
```