

```

}
hello_world(document.getElementById('hello'));
//-->
</script>

```

This program randomly sets the colour of the anchor text “Hello World”. However, it will behave differently depending on where your application is located. In the profile box, inline scripts like these are deferred until the first “active” event is triggered (for example, anything that requires a mouse click). But, it works perfectly fine in on the Canvas page.

6.1.1 Creating a Drop-Down Menu in FBJS

You can create Drop down menus in your Facebook application with the help of FBML and FBJS. Here’s how:

```

<div style="padding:20px">
  <div class="nav" >
    <ul>
      <li style="width:70px;" id="home" >
        <div><a onclick='displayMenu("homechild")' href='#'>Home
</a></div>
      </li>
      <li style="width:110px;" >
        <div><a          onclick='displayMenu("abchild")'
href='#'>Addressbook</a></div>
        <ul id="abchild" style="background-color:blue">
          <li><a href="#">Stories</a></li>
          <li><a href="#">Articles</a></li>
          <li><a href="#">Game REviews</a></li>
        </ul>
      </li>
      <li style="width:110px;" >
        <div><a onclick='displayMenu("helpchild")' href='#'>Help
</a></div>
        <ul id="helpchild" style="background-color:blue" >
          <li><a href="#">Topics</a></li>
          <li><a href="#">Contact us</a></li>
        </ul>
      </li>
    </ul>

```