

```
ta.addEventListener("keydown",keydown);
function keydown(ev)
{
  keycode = ev.keyCode;
  if (keycode==83)
  ev.preventDefault();
  //new Dialog().showMessage("Info","you just pressed
  "+keycode+"", "OK")
}
</script>
```

6.2 FQL essentials

FQL uses the same syntax as typical ANSI-SQL, so if you've worked with SQL before (and I assume you have), FQL isn't a big deal. There are only nine tables to deal with and no joins. FQL does not implement the LIMIT, GROUP BY, or ORDER BY clauses that are common to ANSI SQL-compliant implementations. Let's take a look at the tables and fields that are part of the Facebook Query Language.

6.2.1 Tables

Here's a list of different tables or views of specific data to make sure you know what's available to you.

- users(uid, first_name, last_name, pic_small, pic_big, pic_square, affiliations, profile_update_time, timezone, birthday, sex, hometown_location, meeting_sex, meeting_for, relationship_status, significant_other_id, political, current_location, activities, interests, is_app_user, music, tv, movies, books, quotes, about_me, hs_info, education_history, work_history, notes_count, wall_count, status, has_added_app)
- friend(uid1, uid2)
- group(gid, name, pic_small, pic_big, pic, description, group_type, group_subtype, recent_news, creator, update_time, office, website, venue)
- group_member(uid, gid)
- event(eid, name, tagline, pic_small, pic_big, pic, host, event_type, event_subtype, start_time, end_time, creator, update_time, location, venue)