

Xcode will compile, build and launch the iPhone simulator and run your application. Which in this case should display the label (and the button if you added).

Congratulations on your first iPhone app! You can now click on the home button in the simulator and you will see the home screen which will be pretty blank right now, but for a couple of icons and your brand new app with the name “Digit” below it.

Pressing the home button in the simulator when your app is running in it will also install in the virtual iPhone on your Mac.

If you press the [Command]+ right/left key combination, you can change the orientation of your iPhone simulator. At this point you will notice that your display hasn’t reacted to the change in orientation and your app just looks like it has been rotated by 90 degrees. To make it respond go to XCode and open the `DigitViewController.m` file.

Search for `shouldAutorotateToInterfaceOrientation:` and modify the code block associated with it to the following. You might have to remove the comment markers, they are the same as in C/C++, namely `//`

```
- (BOOL)shouldAutorotateToInterfaceOrientation:(UIInterf
aceOrientation)
interfaceOrientation {
    return YES; // Returning Yes will enable the
orientation change
}
```

Now if you build and run your application you will notice on changing the orientation in the simulator, your display responds and your “Label” and “Text” still are displayed parallel to your eyes, irrespective of the orientation.

As displayed above, you will notice that though the label rotated as you changed the orientation, the alignment doesn’t look pretty anymore. For this,



Instead of Using keyboard shortcut, you can use hardware menu