

Following which open your SearchItController.m file and modify it as follows:

```
#import "SearchItController.h"
@implementation SearchItController
- (void)searchBarSearchButtonClicked:(UISearchBar *)
searchBar
{
    // To ensure your keyboard doesn't pop up
unexpectedly
    [searchBar resignFirstResponder];
}
```

And we are done. Press [command] + [R] to build, run and launch the simulator. You will be greeted by a tab-bar screen with the search tab on the right most lower corner. Enjoy your freshly-baked application.

As an ending note we would like to remind you that incase you want your application to support rotation you just need to ensure that the following peice of code is not commented in your ViewController.m files and the return type is set to YES.

```
- (BOOL)shouldAutorotateToInterfaceOrientation:(UIInter
faceOrientation)
    interfaceOrientation {
    return YES;
}
```

7.4 Navigation-based application

These types of apps are typically designed for the settings menu or the playlist as in the iPod interface. Basically this is the substitute for “Menu” in a typical desktop application. Best suited in scenarios where you want to present data in a hierarchical manner.

Without any further delay fire up your Xcode and create a new application. This time, select a “Navigation-based” application. Let us call it Navi.

Now apart from the regular files that are there for any view-based application, you will notice that there are two new XIB files, one called the RootViewController.xib and the other titled as MainWindow.Xib

We will take the same approach as the one we took for Tab-bar application, we will first analyze, observe and understand the default template and then move on to modifying it. First open the NaviAppDelegate.h file, the contents would look something like the following.

```
@interface NaviAppDelegate : NSObject
```