

```

        return [listOfFriends count];
    }
    TableView:cellForRowAtIndexPath would look like this
    - (UITableViewCell *)tableView:(UITableView *)tableView
        cellForRowAtIndexPath:(NSIndexPath
*)indexPath {    static NSString *CellIdentifier = @"Cell";
        UITableViewCell *cell = [tableView
            dequeueReusableCellWithIdentifier:CellIdentifier];
    if (cell == nil) {
        cell = [[[UITableViewCell alloc] initWithStyle:UITableViewCellStyleDefault
reuseIdentifier:CellIdentifier] autorelease];
    }
    NSString *cellValue = [listOfFriends objectAtIndex:
indexPath.row];
    cell.textLabel.text = cellValue;
    return cell;
}

```

That should be enough to make a single view Navigation-Bar application with a table view embedded into it. But that is not what we are looking for, where are our other views.

So to accomplish the above we will follow similar steps as we did when we manually added a view controller. Right-click on your Classes group and go to **File > Add Files**, from there choose UIViewController subclass and don't forget to tick mark the "With XIB for user interface" option to save time. Let us name it phoneViewController.

Now open the phoneViewController.xib file in the interface builder and drag-drop a "label view" onto the "view" window.

In the XCode edit your phoneViewController.h file as following:

```

#import <UIKit/UIKit.h>

@interface phoneViewController : UIViewController {
    IBOutlet UILabel *label;
    NSString *textSelected;
}
@property (nonatomic, retain) UILabel *label;
@property (nonatomic, retain) NSString *textSelected;
-(id) initWithTextSelected:(NSString *) text;

```