

And the RootViewController.m file to resemble the following

```
#import "RootViewController.h"
```

```
@implementation RootViewController
```

```
NSMutableArray *listOfFriends;
```

```
@synthesize phoneViewController;
```

Now finally edit your tableView:didSelectRowAtIndexPath: method, this will be responsible for actually showing any detail

```
- (void)tableView:(UITableView *)tableView
    didSelectRowAtIndexPath:(NSIndexPath *)
indexPath {
    NSUInteger row = [indexPath row];
    NSString *rowValue = [listOfFriends objectAtIndex:row];
    NSString *message = [[NSString alloc]
        initWithFormat:@"The Phone number
of your friend \"%@\\" is not stored yet", rowValue];
    if (self.detailsViewController == nil)
    {
        // You would notice the use of nib instead of xib
        phoneViewController *d = [[phoneViewController
alloc]
                                initWithNibName:@"phoneView"
                                bundle:[NSBundle
mainBundle]];
        self.detailsViewController = d;
        [d release];
    }
    [self.detailsViewController
initWithTextSelected:message];
    [self.navigationController pushViewController:self.
detailsViewController
    animated:YES];
}
```

That is it. You have just created a navigation-based application with multiple views and a table embedded inside it. Go ahead, treat yourself, build, run and simulate the application and enjoy the smooth transitions. To