

NSUserDefaults are stored.

Media: This is the folder where you will store all the user's flat files and you can use it to store whatever media you want such as Documents and Images.

Root: It's highly unlikely that you will ever need to use this.

Tmp: This is the 'temporary' folder meant for short-lived, temporary files which are created while your application is running. These files in this folder generally have no long term relevance and it's a good programming practice to clear the contents of this folder everytime your application starts or shuts down to conserve space on the user's iPhone.

One catch with the iPhone file system management is the iPhone OS' sandbox model. Each application runs in a sandboxed environment, i.e., your application can only access its own folders. The rest of the file system is inaccessible. This means that your applications cannot work in synchronisation with another application and access its code and data. It cannot even access the user's music and videos, the system data, and everything else outside its own home folder. Any attempt to read from or write to these parts of the filesystem will fail.

8.2 Storing files in the documents folder

As we mentioned, the Documents folder is where you store all the files used by your application and user's flat files. The Library folder stores your preferences and application-specific settings. Let's see how to write a file in these folders:

Create a View-based application project in Xcode. We're calling it WorkOnFiles for future reference. Open the WorkOnFilesViewController.h file and add the following code to it:

```
#import <UIKit/UIKit.h>

@interface WorkOnFilesViewController : UIViewController
{
}
-(NSString *) documentsPath;
-(NSString *) readFromFile:(NSString *) filePath;
-(void) writeToFile:(NSString *) text
withFileName:(NSString *) filePath;
@end
```

Next, open the WorkOnFilesViewController.m file and add the following code: