

```
@property (nonatomic, retain) UIImageView *imageView;  
-(CGFloat) distanceBetweenTwoPoints: (CGPoint)fromPoint  
toPoint: (CGPoint)toPoint;  
@end
```

Next open the TouchDetectionViewController.m file and edit it like:

```
#import "TouchDetectionViewController.h"  
@implementation TouchDetectionViewController  
@synthesize imageView;  
CGFloat originalDistance;  
-(CGFloat) distanceBetweenTwoPoints:(CGPoint)fromPoint  
toPoint:(CGPoint)toPoint {  
    float lengthX = fromPoint.x - toPoint.x;  
    float lengthY = fromPoint.y - toPoint.y;  
    return sqrt((lengthX * lengthX) + (lengthY * lengthY));  
}  
//fired when the user's finger(s) touches the screen  
-(void) touchesBegan: (NSSet *) touches withEvent:  
(UIEvent *) event {  
    //get all touches on the screen  
    NSSet *allTouches = [event allTouches];  
    //compare the number of touches on the screen  
    switch ([allTouches count])  
    {  
        //single touch  
        case 1: {  
            //get info of the touch  
            UITouch*touch=[[allTouches allObjects] objectAtIndex:0];  
            //compare the touches  
            switch ([touch tapCount])  
            {  
                //single tap  
                case 1: {  
                    imageView.contentMode = UIViewContentModeScaleAspectFit;  
                } break;  
                case 2: {  
                    imageView.contentMode = UIViewContentModeCenter;  
                } break;  
            }  
        }  
    }  
}
```