

```
$ sudo aptitude install clamav-base libclamav6 clamav-daemon clamav-freshclam
```

Install SpamAssassin:

```
$ sudo aptitude install spamassassin spamc
```

Install PostGrey:

```
$ sudo aptitude install postgrey
```

Install SquirrelMail:

```
$ sudo aptitude install squirrelmail squirrelmail-locales php-pear php5-cli
```

Install phpMyAdmin:

```
$ sudo aptitude install phpmyadmin
```

7.10 Configure various components

Postfix

You should put the name of your server in this file `/etc/mailname`, It can be something like `smtp.domain.name`, where domain name is your domain name.

Now edit the main postfix configuration file:

```
$ sudo gedit /etc/postfix/main.cf
```

Ubuntu already puts in some sensible default values in this file. You may need to comment some of them.

First specify the name of your server.

```
# This is already done in /etc/mailname
#myhostname= mail.domain.com
```

Next is the origin which is the domain appended to email from this machine, this can be your full servername, or domain name.

```
# myorigin=/etc/mailname
myorigin=domain.com
```

Then decide what the greeting text will be. Enough info so it is useful, but not divulge everything to potential hackers.

```
smtpd_banner = $myhostname ESMTP $mail_name
```

Next you need to decide whether to send all outgoing mail via another SMTP server, or send them yourself. If send via my an external server it has to worry about the queing etc. If you send it yourself then you are not reliant on 3rd party server. But you may risk more exposure and accidentally be