

```
/* Specify blanket rules for all elements */  
body {  
font-family: "Lucida Grande", Arial, Sans-serif;  
}
```

Lucida Grande is specified first, and since it has a whitespace character it is contained within quotes. Any machines with Lucida Grande will display text with this font, and if it isn't available, the display will default to Arial. If neither Lucida Grande nor Arial are available, the browser knows to use whatever appropriate sans serif font it can find next, as the generic family sans-serif is specified.

4.2 font-size

We have already seen various uses of the preferred measurements, namely pixels, ems, and percentage.

```
/* Specify blanket rules for all elements */  
body {  
font-family: "Lucida Grande", Arial, Sans-serif;  
font-size: 12px;  
}
```

By declaring font-size:12px in combination with the font-family declaration, you will ensure that all elements will be sized to 12px regardless of any inheritance (unlike ems, which can be influenced heavily through cascading rules). However, there are a few exceptions to this blanket font-size declaration. Note that all headings (<h1>, <h2>, <h3>, and so on) will retain the default font sizes declared by the browser style sheet unless you redefine them specifically.

Again there are a few useful methods of shortening font declarations, pulling several into one simple statement. Later you'll combine four or five declarations into one, but for now, let's collate font-family and font-size. The most important thing with shorthand is the order in which declarations are stated. In this case, font-size precedes font-family.

```
/* Specify blanket rules for all elements */  
body {  
font: 12px "Lucida Grande", Arial, Sans-serif;
```